



[www.LeeTractor.net](http://www.LeeTractor.net)



## TOTAL RENTAL SOLUTIONS

Lee Tractor's rental fleet is stocked with a wide range of late-model, low-hour machines. Our experts will help match you with the perfect equipment and accessories for your project to keep costs down and jobs moving.

**Call or visit us today for more details.**

Biloxi: **228-392-9922**

Jackson: **601-944-6120**

Saint Rose: **504-467-6794**



[www.LeeTractor.net](http://www.LeeTractor.net)

*Serving the New Orleans & Mississippi areas for over 75 years!*

## CASE COMPACT TRACK LOADERS



Model	Gross hp	Operating Wt	Operating Cap
TR310B	74	8,880 lbs	3,100 lbs
TV370B*	74	9,630 lbs	3,700 lbs
TV450B	90	10,610 lbs	4,500 lbs

\*Available with cab



## CASE SKID STEER LOADERS

Model	Gross hp	Operating Wt	Operating Cap
SV280B	74	7,665 lbs	2,800 lbs

## CASE CRAWLER DOZERS



Model	Gross hp	Operating Wt	Blade Width
650M LGP	74	16,405 lbs	124"
750M LGP	92	20,686 lbs	124"
850M LGP	112	21,980 lbs	124"
1150M LGP	127	32,637 lbs	132"
1650M LGP	154	39,557 lbs	156"
2050M LGP	214	48,773 lbs	157.5"



## CASE COMPACTION



Model	Centrifugal Force	Frequency
SV208	29,450 lbs	2160 vpm
SV211	64,070 lbs	2100 vpm

## CASE WHEEL LOADERS



Model	Gross hp	Operating Wt	Bucket Yd <sup>3</sup>
621G	162	27,903 lbs	3
921G	224	45,070 lbs	4.75



## CASE MOTOR GRADER

Model	Operating Wt	Blade Width
836C AWD	27,128 lbs	10'

## CASE ROUGH TERRAIN FORKLIFTS




Model	Gross hp	Lift Cap
586H	74	6,000 lbs
588H	74	8,000 lbs

## CASE EXCAVATORS



Model	Operating Wt	Max Dig Depth
CX80C	18,900 lbs	13' 9"
CX140E	29,100 lbs	18' 3"
CX145D	32,100 lbs	17' 4"
CX170E	38,400 lbs	21' 4"
CX220E	51,900 lbs	22' 0"
CX250D LR	63,523 lbs	60' 1"
CX350D	82,483 lbs	26' 3"



## CASE MINI EXCAVATORS



Model	Operating Wt	Max Dig Depth
CX33C	7,110 lbs	9' 11"
CX37C	7,990 lbs	10' 3"
CX57C	12,320 lbs	12' 6"
CX60C	13,430 lbs	11' 9"
CX75C SR	17,400 lbs	13' 7"



## CASE BACKHOE LOADERS



Model	Gross hp	Operating Wt	Bucket Breakout Force
580N EP	74	15,795 lbs	10,302 lbs
580N	90	17,751 lbs	11,517 lbs

Biloxi: 228-392-9922  
 Jackson: 601-944-6120  
 Saint Rose: 504-467-6794



## STAND ON MINI SKID STEERS



Model	Gross hp	Operating Wt
Ditch Witch SK800	24.8	860 lbs
CASE TL100	25	1,000 lbs

Attachments available: Power Rake, Auger, Trencher

## JLG TELEHANDLERS



Model	Lift Cap	Lift Height
G5-18A	4,400 lbs	10' 11"
SkyTrak 6042	6,000 lbs	42' 1"
SkyTrak 10054	10,000 lbs	53' 2"

## KUBOTA COMPACT TRACK LOADERS



Model	Gross hp	Operating Wt	Operating Cap
SVL75	74.3	9,039 lbs	3,285 lbs
SVL97	96.4	11,299 lbs	3,200 lbs

## TRAILERS



Model	Length	Axles
6' X 12' Dump	12'	7K
6.5' X 20' EQ	20'	7K

## KUBOTA COMPACT EXCAVATORS



Model	Gross hp	Operating Wt	Max Dig Depth
KX018	17	3,747 lbs	7' 9.7"
KX033	23.9	7,420 lbs	10' 6"
KX040	40	9,900 lbs	11' 2"
KX057	47.6	12,200 lbs	12' 8"
KX080	67.3	18,364 lbs	15' 1"



## LAWN AND LANDSCAPE

- 7" Towable Wood Chipper
- Walk-Behind Stump
- Grinder

## ATTACHMENTS

- Skid Steer Attachments
- Grapple Bucket
- Grapple Rake
- Power Rake
- Drum Mulcher
- HD Brush Cutters
- Auger
- Trencher
- Concrete Hammer



## JLG SCISSOR LIFTS



Model	Platform Height	Machine Width	Power Source
1932	19'	32"	Gas
2632	26'	32"	Gas

## JLG BOOMLIFTS



Model	Operating Wt	Platform Height
T350 Towable	3,400 lbs	34' 5"
460SJ Telescopic	17,394 lbs	46'
600S Telescopic	22,900 lbs	59' 8"
1200SJP Telescopic	40,900 lbs	120'

## CONTRACTOR SUPPLIES

Available for Purchase

- Inverted Point
- Marking Flags
- Safety Vest Type R Class 2
- Hard Hats
- Safety Glasses
- Earplugs
- Caution Tape
- Diamond Blades
- Universal Multi Key Set



www.LeeTractor.net


# REAL SOLUTIONS DEPENDABLE SERVICE

At Lee Tractor, we combine the trust and friendliness of a local, family-owned business with professionalism and service that rivals any national company.



Lee Tractor Co.

# ONE-TOUCH SOLUTION



## LEE TRACTOR WEB APP QUICK CLICK TO CALL, TEXT, OR EMAIL

- VIEW INVENTORY FROM ALL LOCATIONS
- ORDER PARTS BY TAKING A PHOTO
- SCHEDULE SERVICE IN MINUTES
- AND MORE



SCAN TO  
GET APP  
NOW